

The Golden Standard for Judging  
Effectiveness of a Medical Intervention  
for Fatal Diseases

**All-Cause Mortality**

Dr. Marian Laderoute, Ph.D. Medical Sciences – Immunology

August 12, 2022 [hervk102@substack.com](mailto:hervk102@substack.com)

## Rationale for the All-Cause Mortality Test

If a drug is used for example to prevent cardiovascular disease (as shown in a two-month study) but in doing so, it blocks innate immunity, and places the host at a much higher risk of death due to infections albeit at 1-2 years later, the all-cause mortality test if conducted at 1-2 years later of drug use, will show an increased risk of mortality. There is little point to save a few lives in the short term, while over the longer term the risk of all-cause mortality increases significantly.

...Rationale for the All-Cause Mortality Test

**The same applies to COVID-19 vaccines.**

**First**, we are examining the mortality rates for total population vaccinated versus unvaccinated covering Jan 2021 to May 2022. **The COVID-19 vaccines in England for the entire population failed the All-Cause Mortality test at about 1 year (see next slide).**

Raw Death Counts by Non-Vax vs Ever Vaxed for Jan 2021 to May 2022					ENGLAND					
AGE	COVID-19 Deaths			NON-COVID Deaths			All-CAUSE			
	Unvax	Evervax	E-U	Unvax	Evervax	E-U	Unvax	Evervax	E-U	
90+	7191	9336	2145	11829	116270	104441	19020	125606	106586	
85-89	6437	7870	1433	9707	94963	85256	16144	102833	86689	
80-84	5841	6620	779	8887	84170	75283	14728	90790	76062	
75-79	5044	4712	-332	8515	67288	58773	13559	72000	58441	
70-74	4194	3031	-1163	8090	49631	41541	12284	52662	40378	
65-69	3051	1776	-1275	6303	29422	23119	9354	31198	21844	
60-64	2425	1162	-1263	5135	20397	15262	7560	21559	13999	
55-59	1626	754	-872	4084	13903	9819	5710	14657	8947	
50-54	1069	407	-662	3014	8471	5457	4083	8878	4795	
45-49	597	223	-374	1965	4416	2451	2562	4639	2077	
40-44	299	121	-178	1225	2480	1255	1524	2601	1077	
35-39	238	71	-167	903	1410	507	1141	1481	340	
30-34	129	40	-89	649	886	237	778	926	148	
25-29	68	26	-42	525	577	52	593	603	10	
20-24	43	16	-27	335	397	62	378	413	35	
15-19	24	7	-17	265	225	-40	289	232	-57	
10-14	9	3	-6	175	37	-138	184	40	-144	
Total	74460	38285	36175	566549	71606	494943	641009	109891	531118	
Summary			-2110			423337			421227	
Actual % of total deaths in the unvax	51.42%			12.64%			17.14%			
Expected % of total deaths in the unvax	20%			20%			20%			
Favors	Vaxed			Unvaxed			Unvaxed			

Here we are looking at **just the deaths following the 2<sup>nd</sup> dose for the 70+ comparing to the unvaccinated**. We see that in **February 2021**, (the second month of vaccination) the vaccines seem to be excellent at protecting against COVID deaths, and all-cause deaths but not quite as good in the NON-COVID-19 deaths. **Looks real good doesn't it???**

February 2021.		Males				2nd Dose	Females				2nd Dose	unreliable
		Unvax	>21 days 1st Dose	>21 days 2nd Dose	Protection	Unvax	>21 days 1st Dose	>21 days 2nd Dose	Protection			
<b>C19</b>	<b>90+</b>	48,567	6,777	1,009	<b>98%</b>		33,166	5,109	351	<b>99%</b>		
<b>Deaths</b>	<b>80-89</b>	30,951	1,952	320	<b>99%</b>		16,842	1,363	131	<b>99%</b>		
	<b>70-79</b>	8,497	515	X	<b>94% *</b>		4,777	296	X	<b>94% *</b>	<b>* One Dose</b>	
<b>All-Cause</b>	<b>90+</b>	107,859	24,486	9,731	<b>91%</b>		82,981	22,075	6,417	<b>92%</b>		
<b>Deaths</b>	<b>80-89</b>	65,733	7,848	3,903	<b>94%</b>		43,362	5,801	2,402	<b>95%</b>		
	<b>70-79</b>	19,569	2,515	2,177	<b>89%</b>		13,009	1,549	1,282	<b>90%</b>		
<b>NON-C19</b>	<b>90+</b>	59,292	17,709	8,722	<b>85%</b>		49,815	16,966	6,066	<b>88%</b>		
<b>DEATHS</b>	<b>80-89</b>	34,782	5,896	3,583	<b>90%</b>		26,520	4,438	2,271	<b>91%</b>		
	<b>70-79</b>	11,072	2,000	2,177	<b>80%</b>		8,232	1,253	1,282	<b>84%</b>		
<b>C19:Non-C19</b>	<b>90+</b>	<b>0.82</b>	<b>0.38</b>	<b>0.12</b>			<b>0.67</b>	<b>0.30</b>	<b>0.06</b>			
<b>Ratios</b>	<b>80-89</b>	<b>0.89</b>	<b>0.33</b>	<b>0.09</b>			<b>0.64</b>	<b>0.31</b>	<b>0.06</b>			
	<b>70-79</b>	<b>0.77</b>	<b>0.26</b>	<b>x</b>			<b>0.58</b>	<b>0.24</b>	<b>x</b>			

Now if we fast-forward to FEBRUARY 2022 (1 year later), for the deaths following the 2nd dose for the 70+ comparing to the unvaccinated, the vaccines seem to be **doubling the risks of COVID-19 deaths**, and really **increasing NON-COVID-19 deaths** (up to 3-fold). For the **All-Cause Mortality**, the **COVID-19 vaccines have failed in the 70+ age group**.

		Males				2nd Dose		3rd Dose		Females				2nd Dose		3rd Dose	
		Unvax	>21 days 1st Dose	>21 days 2nd Dose	Protection	3rd Dose >21 days	Protection	Unvax	>21 days 1st Dose	>21 days 2nd Dose	Protection	3rd Dose >21 days	Protection				
<b>FEBRUARY 2022</b>																	
<b>C19</b>	<b>90+</b>	5,329	14,502	10,488	<b>-97%</b>	2,705	<b>49%</b>	3,792	5,530	4,854	<b>-28%</b>	1,387	<b>63%</b>				
<b>Deaths</b>	<b>80-89</b>	3,092	2,245	4,218	<b>-36%</b>	782	<b>75%</b>	1,837	3,731	2,388	<b>-30%</b>	397	<b>78%</b>				
	<b>70-79</b>	851	2,015	1,328	<b>-56%</b>	155	<b>82%</b>	521	620	734	<b>-41%</b>	98	<b>81%</b>				
	<b>Totals</b>	<b>9272</b>		<b>16,034</b>	<b>-73%</b>	<b>3642</b>	<b>61%</b>	<b>6150</b>		<b>7976</b>	<b>-30%</b>	<b>1882</b>	<b>69%</b>				
<b>All-Cause</b>	<b>90+</b>	23,195	39,363	60,433	<b>-161%</b>	24,430	<b>5%</b>	25,283	38,710	43,276	<b>-71%</b>	20,779	<b>18%</b>				
<b>Deaths</b>	<b>80-89</b>	11,042	24,404	28,596	<b>-159%</b>	8,190	<b>26%</b>	9,507	19,790	21,141	<b>-122%</b>	6,208	<b>35%</b>				
	<b>70-79</b>	4,228	8,979	11,628	<b>-175%</b>	5,942	<b>-41%</b>	3,237	7,009	7,869	<b>-143%</b>	1,735	<b>46%</b>				
<b>NON-C19</b>	<b>90+</b>	17,866	24,861	49,945	<b>-180%</b>	21,725	<b>-22%</b>	21,491	33,180	38,422	<b>-79%</b>	19,392	<b>10%</b>				
<b>DEATHS</b>	<b>80-89</b>	7,950	22,159	24,378	<b>-207%</b>	7,408	<b>7%</b>	7,670	16,059	18,753	<b>-145%</b>	5,811	<b>24%</b>				
	<b>70-79</b>	3,377	6,964	10,300	<b>-205%</b>	5,787	<b>-71%</b>	2,716	6,389	7,135	<b>-163%</b>	1,637	<b>40%</b>				
<b>C19:Non-C19</b>	<b>90+</b>	<b>0.30</b>	<b>0.58</b>	<b>0.21</b>		<b>0.12</b>		<b>0.18</b>	<b>0.17</b>	<b>0.13</b>		<b>0.07</b>					
<b>Ratios</b>	<b>80-89</b>	<b>0.39</b>	<b>0.10</b>	<b>0.17</b>		<b>0.11</b>		<b>0.24</b>	<b>0.23</b>	<b>0.13</b>		<b>0.07</b>					
	<b>70-79</b>	<b>0.25</b>	<b>0.29</b>	<b>0.13</b>		<b>0.03</b>		<b>0.19</b>	<b>0.10</b>	<b>0.10</b>		<b>0.06</b>					

## ...Rationale for the All-Cause Mortality Test

Next, we are examining the susceptible (60+) after one year having received the two-dose vaccine followed by a third dose in October 2021 for England in 88.41% of the people 60+ years of age. The period covered is January 1, 2022 to May 31, 2022 during which a less virulent strain, **Omicron** was circulating. However, it is likely these vaccines also selected for more virulent strains of Omicron by May 2022 *where a mix of Omicron variants has been noted.*

# DATA Sources for England

## for 60 + Years of AGE

<https://www.ons.gov.uk/peoplepopulationandcommunity/birthsdeathsandmarriages/deaths/bulletins/deathsinvolvingcovid19byvaccinationstatusengland/deathsoccurringbetween1january2021and31may2022>

**England Raw Death Counts : All-Cause, COVID-19, Non-COVID-19 Statistics**

Jan 1 2022 to May 31, 2022

**60+ YEARS of age**

**England Population Statistics Vaccinated by AGE versus Total**

[https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/1080640/Weekly\\_Flu\\_and\\_COVID-19\\_report\\_w22.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1080640/Weekly_Flu_and_COVID-19_report_w22.pdf)

The data from the ONS contained a few minor discrepancies as deaths counts under 3 were excluded from the COVID-19 death counts and the Non-COVID-19 death counts but were counted for the All-Cause Mortality death counts. We will go with the ONS reported death counts for the All-cause Mortality (see next slide).

**England Raw Death Counts**

Jan 1 2022 to May 31, 2022

		60+ age group													
		COVID-19 Deaths				Non-COVID-19 Deaths				Double Check Numbers		All-Cause Deaths			
		Unvax	EverVax	>21 d 3rd Dose DEATHS	% Attributable to 3rd Dose	Unvax	EverVax	>21 d 3rd Dose DEATHS	% Attributable to 3rd Dose			Unvax	EverVax	>21 d 3rd Dose DEATHS	% Attributable to 3rd Dose
May 2022	90+	19	334	312	93%	155	6448	6108	95%	174	6782	174	6784	6420	95%
	80-89	28	535	487	91%	230	10380	9762	94%	258	10915	258	10915	10249	94%
	70-79	20	273	250	92%	216	6624	6130	93%	236	6897	236	6899	6380	92%
	60-69	7	86	70	81%	168	2925	2555	87%	175	3011	175	3011	2625	87%
April 2022	90+	49	986	905	92%	198	7441	6936	93%	247	8427	247	8427	7841	93%
	80-89	78	1353	1269	94%	291	11434	10641	93%	369	12787	369	12790	11910	93%
	70-79	39	705	634	90%	246	7541	6862	91%	285	8246	285	8246	7496	91%
	60-69	27	220	178	81%	186	3148	2701	86%	213	3368	213	3368	2879	85%
March 2022	90+	40	800	730	91%	195	7712	7115	92%	235	8512	235	8513	7845	92%
	80-89	59	1065	945	89%	324	11712	10712	91%	383	12777	383	12781	11657	91%
	70-79	53	547	470	86%	280	7845	7041	90%	333	8392	333	8392	7511	90%
	60-69	21	148	117	79%	207	3361	2825	84%	228	3509	228	3510	2942	84%
February 2022	90+	44	698	592	85%	210	7215	6537	91%	254	7913	254	7914	7129	90%
	80-89	83	1008	839	83%	282	10860	9726	90%	365	11868	365	11868	10565	89%
	70-79	59	498	392	79%	265	7029	6161	88%	324	7527	324	7527	6553	87%
	60-69	39	148	115	78%	221	3093	2443	79%	260	3241	260	3243	2558	79%
January 2022	90+	121	994	704	71%	270	8260	6924	84%	391	9254	391	9256	7628	82%
	80-89	161	1529	1031	67%	357	12379	10251	83%	518	13908	518	13908	11282	81%
	70-79	159	859	547	64%	326	8065	6326	78%	485	8924	485	8926	6873	77%
	60-69	140	343	170	50%	220	3570	2485	70%	360	3913	360	3916	2655	68%
										160171					
		1246	13129	10757	82%	4847	147042	130241	89%			6093	160194	140998	88%
										Discrepancy in ONS data					

The COVID-19 vaccines failed the All-Cause Mortality Test in the 60+ age group for January 1 to May 31, 2022 during the omicron wave (see next slide).

Moreover, it can be calculated that during this period the cumulative toxic effects of the vaccine, caused 1/118 deaths in the 60+ years of age (see next slide).



The third COVID-19 dose alone failed the All-Cause Mortality Test in the 60+ age group for January 1 to May 31, 2022 during the omicron wave (see next slide).

Moreover, it can be calculated that during this period the toxic effects of the 3<sup>rd</sup> dose of vaccine, caused 1/138 deaths in the 60+ years of age and **the 3<sup>rd</sup> dose generates 86% of the toxic deaths.**

# For the 60+ population in England for January 1, 2022 to May 31, 2022 (Omicron Wave) The COVID-19 Vaccine Fails the All-Cause Mortality Test for Effectiveness

## ONLY Deaths Following the 3<sup>rd</sup> Dose (Predominantly Pfizer-BioNTech mRNA Vaccine)

\*[https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment\\_data/file/1080640/Weekly\\_Flu\\_and\\_COVID-19\\_report\\_w22.pdf](https://assets.publishing.service.gov.uk/government/uploads/system/uploads/attachment_data/file/1080640/Weekly_Flu_and_COVID-19_report_w22.pdf)

<b>ACTUAL</b>		Vax 3rd dose	88.41%	12947105				
UKHSA Data for 60+ *		unvaxed	11.59%	1697372				
<b>60+ population</b>						<b>Risk</b>	<b>Risk Factor</b>	
			Death Counts	Population		<b>1 in</b>		
C19 Deaths	unvaxed		1246	1697372		<b>1362</b>		
	Vaxed (3rd dose only)		<b>10757</b>	12947105		<b>1204</b>	<b>1.13</b>	
Non-C19 Deaths	unvaxed		4847	1697372		<b>350</b>		
	Vaxed (3rd dose only)		<b>130241</b>	12947105		<b>99</b>	<b>3.54</b>	
<b>ALL-Cause Deaths</b>	unvaxed		6093	1697372		<b>279</b>		
	Vaxed (3rd dose only)		<b>140998</b>	12947105		<b>92</b>	<b>3.03</b>	

**The deaths due to the toxicity of the third dose alone in this 60+ age group from Jan to May 2022 is 1/138.**

# SUMMARY

- By all accounts, the COVID-19 vaccines although appeared to significantly reduce the risks of dying from COVID-19 within the first 2 months of mass vaccination, they do not pass the All-cause Mortality test at about 1 year. They fail at about a 344% increased risk of all-cause mortality.
- Saving a few deaths in early 2021, does not justify the continued use of the vaccines, given the vaccines are promoting about **38% more COVID-19 deaths a year later** and almost **400% increased risk of non-COVID-19 deaths**.
- The toxicity of the vaccines is killing about 1/118 triple vaxed elders 60+ years of age. Over 86% of the deaths due to vaccine toxicity can be ascribed to the third dose alone.
- The vaccines are selecting for SARS-COV-2 variants and promote the increased risk of infection in the vaccinated over the unvaccinated. They are causing more deaths. The vaccines are causing the pandemic to spiral out of control.

Please draw your own conclusions  
about what needs to be urgently done.